

AN ORDINANCE TO REGULATE OIL AND GAS WELLS THAT ARE LOCATED OR WILL BE LOCATED WITHIN THE CITY LIMITS AND TO ESTABLISH CERTAIN RESTRICTIONS ON SAME AND FURTHER PROVIDING FOR PENALTIES FOR VIOLATIONS; PROVIDING FOR MEANS OF ENFORCEMENT; REPEAL OF INCONSISTENT ORDINANCES AND ORDINANCES IN CONFLICT HEREWITH.

WHEREAS, IT IS DEEMED NECESSARY BY THE Common Council of the City of Glenville, in order to protect the health, welfare and safety of the citizens of the City of Glenville, and to prevent injury to the public or to individuals from anything dangerous, to provide against danger or damage by fire and the well-being of the inhabitants of the City of Glenville; and,

NOW, THEREFORE, BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF GLENVILLE, THAT THE FOLLOWING PROVISIONS WILL BE ESTABLISHED.

18-1. DEFINITIONS.

18-2. CITY PERMIT REQUIRED FOR CERTAIN PURPOSES; APPLICANT FOR CITY PERMIT MUST SHOW THAT HIS APPLICATION FOR STATE PERMIT DISCLOSES WELL TO BE DRILLED OR WORKED ON WITHIN CITY.

18-3. RESTRICTIONS AS TO DRILLING IN STREETS AND ALLEYS.

18-4. DRILLING WITHIN 300 FEET OF BUILDINGS REQUIRES CONSENT OF BUILDING OWNER OR THE DRILLING TO DEEPEN AN EXISTING WELL WITHIN 300 FEET OF BUILDINGS REQUIRES CONSENT OF BUILDING OWNER.

18-5. APPLICATION FOR PERMIT; FILING FEE.

18-6. ISSUANCE OR REFUSAL OF PERMIT; TERMS AND CONDITIONS OF PERMIT, AND MANDATORY COMPLIANCE THEREWITH.

18-7. TERMINATION OF PERMIT BY LACHES.

18-8. INSURANCE AND BOND REQUIRED OF PERMITTEE PRIOR TO START OF DRILLING OR OPERATION.

18-9. OIL AND GAS WELL INSPECTOR.

18-10. DEEPER DRILLING OF WELL.

18-11. DERRICKS AND RIGS.

18-12. PITS.

18-13. CASING.

18-14. SETTING AND CEMENT CASING.

18-15. VALVES AND BLOW-OUT PREVENTERS.

18-16. DRILLING FLUIDS.

18-17. DRILL STEM TEST AND FRACTURES.

18-18. TUBING.

18-19. BRADEN HEAD.

18-20. CHRISTMAS TREE AND WELL HEAD CONNECTIONS.

18-21. PREMISES TO BE KEPT CLEAN AND SANITARY.

18-22. MUFFLERS.

18-23. STORAGE TANKS AND SEPARATORS.

18-24. FENCE.

18-25. VENTING AND FLARING OF GAS.

18-26. ABANDONMENT AND PLUGGING.

18-27. DISPOSAL OF SALT WATER.

**18-28. VIOLATION OF STATE AND FEDERAL LAWS AND REGULATIONS
CONSTITUTE VIOLATIONS OF THIS ORDINANCE.**

18-29. VIOLATIONS AND PENALTIES.

NOTE: For state law as to authority of city to prevent injury to the public or to individuals from anything dangerous, to make regulations guarding against damage by fire, to provide for the elimination of hazards to the public safety and to protect and promote the public health and welfare, see WV Code, section 8-12-5, subsess. (13), (15), (23), (44). As to state law relating to oil and gas wells, see WV Code, section 22-4-1 et seq.

18-1 DEFINITIONS.

For the purposes of this ordinance the following words and phrases shall have the

meanings respectively ascribed to them by this section; provided, that all technical or oil and gas industry words or phrases used herein and not specifically defined herein shall have that meaning customarily attributable thereto by prudent operators in the oil and gas industry:

Lease. The word “lease” shall mean any tract of land subject to an oil, gas and mineral lease or other oil and gas development contract, or any unit composed of several tracts and leases but operated as one lease, and any tract of land in which the minerals are owned by an operator or someone holding under it or him, but which, due to the fee royalty ownership is developed and operated as a separate tract.

Permittee. The word “Permittee” shall mean the person to whom is issued a permit for the drilling and operation of a well under this ordinance, and his or its administrators, executors, heirs, successors and assigns.

Well. The word “well” shall include and mean any hole or holes, bore or bores, to any sand, formation, strata or depth, located or to be located within the city limits for the purpose of producing and recovering or the attempt to produce or recover any oil, gas, liquid hydrocarbon, or any of them.

18-2. CITY PERMIT REQUIRED FOR CERTAIN PURPOSES; APPLICANT FOR CITY PERMIT MUST SHOW THAT HIS APPLICATION FOR STATE PERMIT DISCLOSES WELL TO BE DRILLED OR WORKED ON WITHIN CITY.

It shall be unlawful for any person acting either for himself or acting as agent, employee, independent contractor, or servant of any other person, to commence to drill, or to operate, clean out, re-case an old well, drill deeper or set up any equipment of any kind to work on any well located or to be located within the City limits of the City of Glenville or to work upon or assist in any way in the prosecution or the operation of such well without a currently valid permit therefor having first been issued by the authority of the common council of the City of Glenville, in accordance with the terms of this ordinance. Further, upon application for such permit from the City the applicant or permittee shall show evidence to the city that in his application for a permit to drill for oil or gas or work on a well located in the city, he has a permit from the bureau of mines of the State of West Virginia if required and he has stated therein that the well is to be drilled or worked on within the corporate limits of the City of Glenville.

18-3. RESTRICTIONS AS TO DRILLING IN STREETS AND ALLEYS.

No well shall be drilled or worked on and no permit shall be issued for any well to be drilled or worked on at any location which is within any of the streets or alleys of the city; and no street or alley shall be blocked, encumbered or closed or damaged in any drilling or production operation except by special permit by order of the common council, and then only temporarily.

18-4. DRILLING WITHIN 300 FEET OF BUILDINGS REQUIRES CONSENT OF BUILDING OWNER OR THE DRILLING TO DEEPEN AN EXISTING WELL

WITHIN 300 FEET OF BUILDINGS REQUIRES CONSENT OF BUILDING OWNER.

No well shall be drilled or drilled to deepen an old well and no permit shall be issued for any well to be drilled at any location or deepened at any location which is nearer than three hundred feet of any residence or commercial building without the applicant having first secured the written permission of the owners or owners thereof.

18-5. APPLICATION FOR PERMIT; FILING FEE.

Every application for a permit to drill, deepen, re-case, clean out, or set up any equipment of any kind to work on any well located or to be located within the city limits, shall be in writing, signed by the applicant or by some person duly authorized to sign on his behalf, and it shall be filed with the city recorder and be accompanied with a filing fee of three hundred dollars (\$300.00) in cash. An application shall include full information, including the following:

- (A) The date of application.
- (B) Name of the applicant
- (C) address of the applicant
- (D) Proposed site of the well, including:
 - (A) Name of the fee owner;
 - (B) Name of the lease owner or owners;
 - (C) Brief description of the land
- (E) Type of derrick to be used.
- (F) Where well is located if it is an old well
- (G) The proposed work to be done
- (H) The proposed depth of the well
- (I) The proposed casing program

18-6. ISSUANCE OR REFUSAL OF PERMIT; TERMS AND CONDITIONS OF PERMIT, AND MANDATORY COMPLIANCE THEREWITH.

The common council, within twenty days after the filing of the application for a permit as stated in section 18-5, shall determine whether or not the application complies in all respects with the provisions of this ordinance, and if it does, the council shall then fix the amount of the principal of the bond and insurance provided for in section 18-8, and after such determination shall issued a permit for the drilling and/or operation of or work of the well applied for. Each permit issued under this ordinance shall:

- (A) By reference have incorporated therein all the provisions of this ordinance with the same force and effect as if this ordinance were copied verbatim in said permit.
- (B) Specify the well location with particularity to lot number, block number, name of addition or subdivision, or other available correct legal description.
- (C) Contain and specify that the term of such permit shall be for a period of one year from the date of the permit and as long thereafter as the permittee is engaged in

drilling operations with no cessation of such operations for more than ninety days, if the permit is for work to be performed on the well and no drilling is involved, the permit shall be for a period of one year from the date of the permit.

- (D) Contain and specify such conditions as are by this ordinance authorized.
- (E) Specify the total depth to which the well may be drilled, not exceeding the projected depth and specify the work to be done; and
- (F) Contain and specify that no equipment may be moved in and that no actual operations shall be commenced until the permittee shall file and have approved an indemnity bond in the designated principal amount as is so determined by the common council and conditioned as specified in section 18-8.

Such permit, in duplicate originals, shall be signed by the Mayor, and prior to delivery to the permittee shall be signed by the permittee (with one original to be retained by the City and one by the permittee); and when so signed shall constitute the permittee's drilling and/or operating license and the contractual obligation of the permittee to comply with the terms of such permit, and such bond, and this ordinance.

If the permit for the well be refused, or if the applicant notifies the common council in writing that he does not elect to accept the permit as tendered and wishes to withdraw his application, or if the bond of applicant be not approved and the applicant notifies the council in writing that he wishes to withdraw his application, then upon the happening of said events the cash deposit provided for to be filed with the application shall be returned to the applicant, except that there shall be retained therefrom by the city One Hundred Dollars as a processing fee.

18-7. TERMINATION OF PERMIT BY LACHES.

When a permit shall have been issued, it shall terminate and become inoperative without any action on the part of the city unless within ninety days from the date of issuance the actual drilling or other work as specified in the permit shall have commenced. The cessation for a like period of the drilling operations or the cessation of the production of work as specified for a like period shall terminate and cancel the permit, and it shall be unlawful thereafter to continue the work or drilling of such well without the issuance of another permit.

18-8. INSURANCE AND BOND REQUIRED OF PERMITTEE PRIOR TO START OF DRILLING OR OPERATION.

In the event a permit be issued by the common council under the terms of this ordinance for the drilling and operation or work to be performed on a well, no actual work shall be commenced and no equipment may be moved in and no actual operations shall be commenced until the permittee shall file with the city recorder, a bond and certificate of insurance, as follows:

(A) A bond in the principal sum of such number of dollars as has been so determined by the common council, but not to be less than five thousand dollars, such bond to be executed by a reliable insurance company authorized to do business in the State of West Virginia, as surety, and with applicant as principal, running to the City of Glenville for the benefit of the City and all persons concerned, conditioned that the permittee will comply with the terms and conditions of this ordinance in the drilling and operation and work of the well. Such bond shall become effective on or before the date it is filed with the city recorder and remain in force and effect for at least a period of six months subsequent to the expiration of the term of the permit issued, and in addition, the bond shall be conditioned that the permittee will promptly pay off all fines, penalties and other assessments imposed upon permittee by reason of his breach of any of the terms, provisions and conditions of this ordinance; that the permittee will promptly restore the streets and sidewalks and other public property of the city which may be disturbed or damaged in the operations to their former condition; and that the permittee will promptly clear all premises of all litter, trash, waste and other substances used, allowed or occurring in the drilling, work or producing operations and will, after abandonment, grade, level and restore said property to the same surface condition, as nearly as possible, as existed when work or operations for the well or wells were first commenced; and that the permittee will indemnify and hold the City of Glenville harmless from any and all liability growing out of or attributable to the granting of such permit. If at any time the common council shall deem any permittee's bond to be insufficient for any reason, it may require the permittee to file a new bond.

(B) In addition to the bond required in subsection (A) of this section, the permittee shall carry a policy or policies of standard comprehensive public liability insurance, including contractual liability covering bodily injuries and property damage, naming the permittee and the City of Glenville, in an insurance company authorized to do business within the State of West Virginia, said policy or policies in the aggregate shall provide for the following minimum coverages:

(1) Bodily injuries fifty thousand dollars one person; one hundred thousand dollars one accident.

(2) Property damage fifty thousand dollars.

Permittee shall file with the city recorder certificates of such insurance as above stated, and shall obtain the written approval thereof by the Mayor who shall act thereon within ten days from the date of such filing. Such insurance policy or policies shall not be canceled without written notice to the city clerk or city recorder at least ten days prior to the effective date of such cancellation. In the event such insurance policy or policies are canceled, the permit granted shall terminate, and permittee's rights to operate under the permit shall cease until permittee files additional insurance as provided herein.

18-9. OIL AND GAS WELL INSPECTOR.

The common council shall appoint an oil and gas well inspector, who may be the Mayor, a council member or anyone, who may be removed at the will of the common council. It shall be the duty of the oil and gas well inspector to enforce the provisions of this ordinance.

18-10. DEEPER DRILLING OF WELL.

Once any well has either been completed or abandoned as a dry hole, it shall be unlawful for any person to drill such well to a deeper depth than that reached in the prior drilling operations without the permittee as to such well obtaining a new permit after filing a new application with the city recorder specifying:

- (A) The then condition of the well and the casing therein.
- (B) The depth to which it is proposed such well be deepened, not to exceed in any event a total true vertical depth from the surface in excess of twelve thousand feet.
- (C) The proposed casing program to be used in connection with proposed deepening operations.
- (D) Evidence of adequate current tests showing that the casing strings in such well currently pass the same tests as are in this ordinance provided for in case of the drilling of the original well.

In the event the common council is satisfied that such well may be deepened with the same degree of safety as existed in the original well, a new permit may be issued without and additional delay, authorizing the deepening and operation of the well to such specified depth as applied for, not exceeding in any event a total true vertical depth from the surface in excess of twelve thousand feet.

In any deeper drilling or any deeper completion or any deeper production operations the permittee shall comply with all other provisions contained in this ordinance and applicable to said ordinance to the drilling, work operation and completion of a well or wells.

18-11. DERRICKS AND RIGS.

It shall be unlawful for any person to use or operate in connection with the drilling or working or reworking of any well within the city limits any wooden derrick or any steam-powered rig, and all engines shall be so equipped with adequate mufflers approved by the oil and gas well inspector that the city has appointed; or to permit any drilling rig or derrick to remain on the premises or drilling site or remain in the city limits for a period longer than sixty days after completion or abandonment of the well. At all times from the start of erection of a derrick, or a mast, or a gin-pole, until the well is abandoned and plugged or completed as a producer and enclosed with a fence as herein provided, the permittee shall keep a watchman on

duty on the premises at all times; provided, that it shall not be necessary to keep an extra watchman on duty on the premises when other workman or permittee are on such premises.

18-12. PITS.

Either earthen or steel slush pits shall be permitted in connection with the drilling operation or work being performed. In the event a steel pit is used, the pit and its contents shall be removed from the premises and the drilling or work site and moved out of the city limits within thirty days after completion of the work or well. In the event an earthen slush pit is used, it shall be filled and leveled within one hundred twenty days after completion of the work or well and never in any event shall anything contained within this pit or the steel pit be allowed to spill out of its containment.

18-13. CASING.

All casing, including surface protection and production strings, shall be either seamless steel or equivalent quality oil well casing. Each production string of casing must comply with at least the following minimum internal pressure yield strength, computed in accordance with A.P.I. standards, to-wit:

Depth of String in Feet	Internal Pressure Rating (psi)
	10 3/4" Casing
0-1160'	1140 lbs.
1160-1260'	1820 lbs.
	8 5/8" Casing
0-1690'	1340 lbs.
1690-2540'	2950 lbs.
	7" Casing
0-1960'	1440 lbs.
1960-2440'	2310 lbs.
2440-3410'	2720 lbs.
3410-4440'	3740 lbs.
	5 1/2" Casing
0-4340'	3110 lbs.
4340-5640'	4270 lbs.
5640-6860'	5810 lbs.
	4 1/2" Casing
0-3410'	1990 lbs.
3410-4530'	3190 lbs.
4530-5900'	4380 lbs.

Each joint and length of each particular casing string shall have prior to setting unconditionally passed a complete cold water test.

18-14. SETTING AND CEMENT CASING.

No well shall be drilled or drilled deeper within the city limits without properly setting surface casing to a minimum depth of eight hundred feet. No well shall be drilled or drilled deeper within the city limits without cementing the surface casing by the pump and plug method with sufficient cement to completely fill all of the annular space behind such casing to the surface of the ground; and without cementing the production string by the pump and plug method with sufficient cement to completely fill all the annular space behind the production string to at least six hundred feet above the highest oil and/or gas bearing horizon; and in the event a protection string of casing be required under the terms of this ordinance without cementing the protection string by the pump and plug method with sufficient cement to completely fill all the annular space behind the protection string to at least six hundred feet above the highest oil and/or gas bearing horizon. It is provided however, that in non-congested areas or for other reasons he may feel valid, the city oil and gas well inspector, if it is evidenced to him by the permittee or operator that the well completion is to be consistent with safe and acceptable completion methods, he may, in his discretion recommend to the common council for approval the waiver of all or any part of the requirements set forth in this section. The common council has the final say if or not the waiver be approved.

18-5. VALVES AND BLOW-OUT PREVENTERS.

No well shall be drilled or worked on within the city limits without properly equipping the surface casing when set with at least one master valve, and without properly equipping the protection casing when set with at least one master valve and one fluid-operated ram type blow-out preventer; and without properly equipping the production casing during completion operations and work over operations with at least one master valve and at least one fluid-operated ram type blow-out preventer. One each well drilled or worked on a valve cock or kelly cock shall be installed on the kelly used. Each blow-out preventer shall test six thousand pounds and its mechanical operation shall be tested at least once very eight-hour period and all control equipment shall be in good working condition and order at all times. It is provided however, that in non-congested areas or for other reasons he may feel valid, the city oil and gas well inspector, if it is evidenced to him by the permittee or operator that the well completion is to be consistent with safe and acceptable completion methods, he may, in his discretion recommend to the common council for their approval the waiver of all or any part of the requirements set forth in this section.

18-16. DRILLING FLUIDS.

No well shall be drilled or drilled deeper within the city limits without using mud as the drilling fluid after the setting of surface casing as provided in section 18-5. Prior to the time the well reaches the depth of the first known or encountered oil or gas bearing horizon, the weight of the mud laden drilling fluid shall be at all times maintained at not less than ten pounds per gallon. After the well reaches the depth of the first known or encountered oil or gas bearing horizon, the weight of the mud laden drilling fluid shall be at all times maintained at such weight as will provide a hydrostatic head of not less than two hundred fifty pounds per square inch in

excess of the formation pressure. In reworking a well a drilling fluid shall be at all times maintained at such weight as will provide a hydrostatic head of not less than two hundred fifty pounds per square inch in excess of the formation pressure.

18-17. DRILL STEM TEST AND FRACTURES.

It shall be unlawful for any person in connection with the drilling or reworking operations of any well within the city limits to take and to complete any drill stem test or tests except during daylight hours and then only if the well effluent during the test is produced through and adequate oil and gas separator to storage tanks, and the effluent remaining in the drill pipe at the time the tool is closed is flushed to the surface by circulating drilling fluid down the annulus and up the drill pipe.

Fracturing of a well formation shall be done during daylight hours and the permittee or operator shall be fully responsible for any and all resulting damage to underground city water or sewer lines or connections as well as privately owned underground water or sewer lines or connections, and all public utility lines. Upon the completion of the fracture and during the period in which the well is flowed open to relieve the well bore of fracture fluid, it shall be the responsibility of the permittee and operator to confine such flow of fracture fluid to the immediate well location by means of suitably sized flow lines or in such other manner as to insure that adjacent property and the public safety are not endangered. It is further provided however that in noncongested areas the city oil and gas well inspector may in his discretion recommend to the common council for their approval the waiver of the requirements set forth in this section.

18-18. TUBING.

All tubing used in any well within the city limits shall be seamless steel tubing having not less than a minimum internal pressure yield strength of five thousand two hundred eighty pounds per square inch if used in connection with a well completion at a depth not exceeding seven thousand feet, or less than a minimum internal pressure yield strength of seven thousand two hundred sixty pounds per square inch if used in connection with a well completion at a depth in excess of seven thousand feet.

18-19. BRADENHEAD.

Each well drilled or reworked within the city limits shall be equipped with a bradenhead with a working pressure of not less than three thousand pounds per square inch. Bradenheads shall not be of the homemade welded type. The bradenhead installed on the surface casing shall be set above ground level and shall be equipped with fittings having a working pressure rating of not less than three thousand pounds per square inch. The bradenhead pressure shall be checked at least once each calendar month and if pressure is found to exist, proper remedial measures shall be immediately taken to eliminate the source and the existence of the press

18-20. CHRISTMAS TREE AND WELL HEAD CONNECTIONS.

The Christmas tree and all well head connections on each well drilled or reworked within the city limits shall be as follows : On all flowing wells completed at a depth of above four thousand feet the Christmas tree and well head connections shall have at least a minimum working pressure of two thousand pounds per square inch and a minimum test pressure of at least four thousand pounds per square inch; and on all wells completed to a depth of from four thousand one to seven thousand feet the Christmas tree and well head connections shall have at least a minimum working pressure of three thousand pounds per square inch and a minimum test pressure of at least six thousand pounds per square inch; and on all wells completed below a depth of seven thousand feet the Christmas tree and well head connections shall be at least a minimum working pressure of five thousand pounds per square inch and minimum test pressure of at least ten thousand pounds per square inch. All piping and fittings connecting the well head to an oil gas separator shall have at least the same minimum working pressure and minimum test pressure as herein above specified for Christmas tree and well head connections. In the event the surface shut-in pressure of any well in the city limits exceeds two thousand pounds per square inch, the flow wing of the Christmas tree shall be equipped with an automatic closing safety valve in addition to the regular control valves.

18-21. PREMISES TO BE KEPT CLEAN AND SANITARY.

The premises shall be kept in a clean and sanitary condition, free from rubbish of every character, to the satisfaction of the city oil and gas well inspector, at all times drilling operations or reworking operations or operations of any kind are being conducted, and as long thereafter as oil and/or gas is being produced therefrom.

18-22. MUFFLERS.

Motive power for all operations after completion of drilling or reworking operations shall be electricity or properly muffled gas, gasoline or diesel engines; such mufflers to be approved by the city oil and gas well inspector prior to their use.

18-23. STORAGE TANKS AND SEPARATORS.

It shall be unlawful for any person to use, construct or operate in connection with any producing well within the city limits any crude oil storage tanks except to the extent of five steel tanks for oil storage, not exceeding one hundred barrels capacity each, and so constructed and maintained as to be vapor and liquid tight and each surrounded with an earthen fire wall at such distance from the tanks as will under any circumstances hold and retain at least one and one-half times the maximum capacity of such tank. A permittee may use, construct and operate a steel conventional separator, and such other steel tanks and appurtenances as are necessary for treating oil, with each of such facilities to be so constructed and maintained as to be vapor and liquid tight. Each oil gas separator shall be equipped with both a regulation pressure relief

safety valve and a bursting head.

18-24. FENCE.

Any person who completes any well as a producer shall have the obligation to enclose such well, together with its surface facilities and storage tanks, by a substantial smooth net wire fence sufficiently high and properly built so as to ordinarily keep persons and animals out of the enclosure, with all gates thereto to be kept locked when the permittee or his employees are not within the enclosure. It is provided, however, that in non-congested areas the oil and gas well inspector provided by the city, in his discretion, may recommend to the common council for their approval the waiver of the requirements set forth in this section or may designate the type of fence to be erected.

18-25. VENTING AND FLARING OF GAS.

No person engaged in drilling or operating or reworking any well shall permit gas to escape or be vented into the air unless said gas be flared and burned. All gas flared or burned from a torch, pipe, or any other burning device, within the city limits must be done in such manner so as not to constitute a fire hazard to any property; and the location of the torch, pipe, or other burning device, the construction thereof, the maintenance thereof, and the operation thereof, shall at all times be in full compliance with such regulations as may from time to time be issued by the city oil and gas well inspector.

18-26. ABANDONMENT AND PLUGGING.

During initial abandonment operations it shall be the obligation of the permittee and the operator of the well to flood the well bore with mud-laden fluid weighing not less than ten pounds per gallon. It shall further be the obligation of the permittee or operator to comply strictly with the abandonment procedures and precautionary measures as prescribed for in the permit to abandon issued by the bureau of mines of the State of West Virginia.

18-27. DISPOSAL OF SALT WATER.

Permittee shall make adequate provisions for the disposal of all salt water or other impurities which he may bring to the surface, such disposal to be made in such manner as to not contaminate the water supply, near by streams, or any water supply whether present or prospective, or to injure surface vegetation.

18-28. VIOLATIONS OF STATE AND FEDERAL LAWS AND REGULATIONS CONSTITUTE VIOLATIONS OF THIS ORDINANCE.

Any violation of the laws of the State or any rules, regulations or requirements of any state or federal regulatory body having jurisdiction in reference to drilling, completing, equipping, operating, producing, maintaining, or abandoning an oil or gas well or related

appurtenances, equipment or facilities, or in reference to fire wells, fire protection, blow-out protection, safety protection, or convenience of persons or property shall also be a violation of this ordinance.

18-29. VIOLATIONS AND PENALTIES.

It shall be unlawful for any person to violate or neglect to comply with any provision hereof irrespective of whether or not the verbage of each section hereof contains the specific language that such violation or neglect is unlawful and is an offense. Any person who shall violate any of the provisions of this ordinance or any of the provisions of a drilling and operating permit issued pursuant hereto, or any condition of the bond filed by the permittee pursuant to this chapter or who shall neglect to comply with the terms hereof, shall, on conviction thereof, be fined in any sum not less than ten dollars nor more than one hundred dollars and/or be imprisoned in the City Jail, or Gilmer County Jail for a term, not exceeding thirty days, or both so fined and imprisoned and a further fine of up to fifty dollars may be imposed for every twenty-four hour period such violation is suffered to remain. The violation of each separate provision of this ordinance and of said permit, and of said bond, shall be considered a separate offense. In addition to the foregoing penalties, it is further provided that the common council, at any regular or special session or meeting thereof, may, provided ten days notice has been given to the permittee that revocation is to be considered at such meeting, revoke or suspend any permit issued under this ordinance and under which drilling, reworking or producing operations are being conducted in the event the permittee thereof has violated any provision of said permit, said bond, or this ordinance. In the event the permit be revoked, the permittee may make application to the common council for a reissuance of such permit, and the action of the common council thereon shall be final.

It is the intent of the Common Council of the City of Glenville that each separate section and/or part of a section, and/or provision of this ordinance shall be deemed independent of all other sections and/or parts of sections, and/or provisions herein, and it is further the intention of the Common Council of the City of Glenville that if any section and/or part of a section, and/or provision of this ordinance be declared to be invalid, all other sections and/or parts of sections, and/or provisions herein shall remain valid and in full force and effect, and enforceable.

All ordinances, or parts of ordinances, in conflict herewith, or inconsistent herewith, are hereby repealed to that extent and no further.

This ordinance shall be in effect immediately upon final passage by the Common Council of the City of Glenville.

CERTIFICATE OF ENACTMENT

I, Delbert L. Davidson, Mayor, do hereby certify that the foregoing ordinance was lawfully ordained and the final reading was held at the regular council session assembled on March 7, 1977, and said ordinance was enacted by the Council of the City of Glenville and said ordinance shall be in immediate force and effect as of March 7, 1977.

Delbert L. Davidson
Mayor

ATTEST: Lowell E. Fredein (Acting Recorder)

